

केन्द्रीय मुहर विभाग- III

हमारा संदर्भ- सीएमडी -III/16: IS 14697

30 जून 2022

विषय- पुनरीक्षित आई एस 14697 : 2021 के कार्यान्वयन की तिथि का विस्तार।

इसे उपरोक्त विषय का संदर्भ है।

सक्षम प्राधिकारी ने संशोधित आईएस 14697 : 2021 के कार्यान्वयन की तिथि दिनांक **20/02/2023** तक के विस्तार के लिए सहमती प्रदान की है।

सभी संबंधित अनुरोध हैं कि वे लाइसेंसधारी / आवेदक के इस दिशानिर्देशों के परिसंचरण को सुनिश्चित करें और नियत तारीख से पहले संशोधित आईएस 14697 : 2021 का कार्यान्वयन सुनिश्चित करें।

(पीयूष प्रकाश)
वैज्ञानिक-सी (सी एम डी-III)

प्रमुख (सी एम डी-III)

सभी क्षेत्रीय/शाखा कार्यालय

CENTRAL MARKS DEPARTMENT-III

Our Ref: CMD-III/16: IS 14697

30 June 2022

Subject: Extension of date of implementation of revised IS 14697 : 2021 'a.c. STATIC TRANSFORMER OPERATED WATTHOUR METERS (CLASS 0.2S AND 0.5S) AND VAR-HOUR METERS (CLASS 0.2S, 0.5S AND 1S) – SPECIFICATION (First Revision) '

This has reference to the subject mentioned above.

The Competent Authority has agreed for extension of date of implementation of revised IS 14697 : 2021 upto 20 February 2023.

All BOs are requested to inform the licensees/applicants about the extension.

(Peeyush Prakash)
Sc-C (CMD- III)

Head (CMD-III)

Circulated to all ROs/BOs

CENTRAL MARKS DEPARTMENT-III

Our Ref: CMD-III/16: IS 14697

30 June 2022

Subject: Extension of date of implementation of revised IS 14697 : 2021 ‘a.c. STATIC TRANSFORMER OPERATED WATTHOUR METERS (CLASS 0.2S AND 0.5S) AND VAR-HOUR METERS (CLASS 0.2S, 0.5S AND 1S) – SPECIFICATION (First Revision)

1. This has reference to the guidelines for implementation of revised IS 14697 : 2021 ‘a.c. STATIC TRANSFORMER OPERATED WATTHOUR METERS (CLASS 0.2S AND 0.5S) AND VAR-HOUR METERS (CLASS 0.2S, 0.5S AND 1S) – SPECIFICATION (First Revision) circulated vide CMD-III circular ref: CMD-III/16:14697 dated 18 October 2021 with last date for implementation as 20 May 2022.
2. Considering the requests received from BOs and the present status of implementation of IS 14697 : 2021 by the licensees, it has now been decided to extend the date of implementation of revised IS 14697 : 2021 by nine months till 20 February 2023. Other terms and conditions of CMD-III circular ref: CMD-III/16:14697 dated 18 October 2021 remains the same.
3. All concerned BOs are requested to inform the revised date of implementation to all Licensees/Applicants immediately and ensure implementation of revised IS 14697 : 2021 by **20 February 2023**.

(Peeyush Prakash)
Sc-C (CMD-III)

Head (CMD-III)
DDG (Certification)

Circulated to all BOs