

केन्द्रीय मुहर विभाग-2

संदर्भ -: केम्वी-2/16:3502

20.02.2023

विषय: IS 3502 के संशोधन सं 1 के अनुपालन के दिशा निर्देश

यह उपरोक्त विषय के संदर्भ में है।

सक्षम अधिकारी द्वारा अनुमोदित दिशानिर्देश अनुपालन हेतु संलग्न है।

सभी क्षेत्रीय/शाखा कार्यालयों से अनुरोध है की दिशा निर्देशों का तत्काल प्रभाव से अनुपालन सुनिश्चित करें।

(शिवम आहुजा)

वैज्ञानिक सी

प्रमुख (केम्वी 2)

सभी क्षेत्रीय शाखाकार्यालय/प्रयोगशालाएँ/MTD/LRMD

CENTRAL MARKS DEPARTMENT-2

Our Ref: CMD-2/16:3502

20.02.2023

Subject: Guidelines for implementation of Amendment No.01 to IS 3502:2009

This has reference to the subject mentioned above.

The Competent Authority has approved the enclosed Guidelines for implementation.

All ROs/BOs are requested to ensure the implementation of the above Guidelines with immediate effect.

(Shivam Ahuja)
Scientist C

Head (CMD-2)

All ROs/BOs/Labs/MTD/LRMD

CENTRAL MARKS DEPARTMENT-2

Our Ref:CMD-2/16:3502

Date: 20.02.2023

Subject: Guidelines for implementation of Amendment no. 1 to IS 3502– (Steel Chequered Plates-Specification)

1. Steel Chequered Plates as per IS 3502:2009 is under mandatory certification with 09 licences in operation domestically.
2. Amendment no. 1 to IS 3502:2009 has been published. The amendment shall be implemented with effect from **09 May 2023**.
3. The significant changes in the standard through this amendment as listed in the Table are given below.

Clause	Change
Clause 11, Calculation of Mass	The value of density of steel has been corrected to 7.85 g/cm ³ in place of 7.85 g/cm ²

4. No change in the existing Product Manual is required on account of this amendment.
5. Since only a correction in the value of density of steel has been affected through the amendment, BOs shall inform all licensees under their jurisdiction regarding the amendment within a week of issuance of these guidelines.

Shivam Ahuja

Sc.C.(CMD-2)

Head (CMD-2)

DDG (Certification)

ROs/BOs