



केन्द्रीय मुहर विभाग - III

हमारा संदर्भ- केन्द्रीय मुहर विभाग-३/१६: भा.मा. 12300

३१ October २०२५

विषय: अनुपालन हेतु गाइडलाइन

सभी शाखा कार्यालयों से आग्रह है कि संलग्न गाइडलाइन का अनुपालन तत्काल प्रभाव से सुनिश्चित करें।

(राकेश कुमार)
वैज्ञानिक 'ई' /निदेशक (के मु वि III)

प्रमुख (के मु वि III)

सभी क्षेत्रीय/शाखा कार्यालय

CENTRAL MARKS DEPARTMENT-III

Our Ref: CMD-3/16: IS 12300

31 October 2025

Subject: Guidelines for implementation of Amendment No. 1 to Indian Standard IS 12300: 2024- Gas Cylinder Valves for Small Refrigerant Cylinders

This has reference to the subject mentioned above.

BOs may kindly ensure implementation of the attached guidelines with immediate effect.

(Rakesh Kumar)
Scientist 'E'/Director (CMD III)

Head (CMD - III)

Circulated to: All ROs/BOs

CENTRAL MARKS DEPARTMENT-III

Our Ref: **CMD-3/16: IS 12300**

31 October 2025

Subject: Guidelines for implementation of Amendment No. 1 to Indian Standard IS 12300: 2024- Gas Cylinder Valves for Small Refrigerant Cylinders

1. Amendment No. 1 to IS 12300: 2024 has been published. **The last date for implementation of the Amendment is 21 October 2025.**
2. All BOs shall inform the Applicants and Licensees under their jurisdiction about implementation of the Amendment **within a week of issuance of these guidelines.**
3. The significant changes brought through this Amendment as listed in the Table below is given for the purpose of general guidance. BOs shall, however, ensure that the product conforms to all the requirements, as applicable, of the Standard read along with its Amendment.

Sl. No.	Page No, Clause reference	Change
1.	Page 1, Cl. 3.1- Material	It has been specified that for all other gases which are not mentioned in IS/ISO 11114-1 and IS/ISO 11114-2, suitable metallic and non-metallic materials compatible with the gas shall be used with prior permission from Statutory Authority.

4. Consequent upon issuance of the Amendment, existing Product Manual has also been revised as Doc: PM/ IS 12300/3/ September 2025. In this revision, number of Amendments has been updated and provision to use material with prior permission of statutory authority has been incorporated in Scheme of Inspection and Testing, as per the Amendment.
5. Prior approval of statutory authority is always required for Grant of BIS licence as well as inclusion of new variety in existing BIS licence and is already given by PESO for all such licences. Therefore, no change in manufacturing and testing facilities is required for existing licensees in order to implement the Amendment, neither any evidence of conformity is required to be submitted for implementation of the Amendment.
6. The above guidelines come into force with immediate effect.

(Rakesh Kumar)
Scientist 'E'/Director (CMD III)

Head (CMD III)
DDG (Certification)