

केन्द्रीय मुहर विभाग -2

संदर्भ -: केमूवी-2/16:1729

29 11 2022

विषय: संशोधन संख्या 08 से आईएस 1729:2002 के कार्यान्वयन के लिए दिशानिर्देश

यह उपरोक्त विषय के संदर्भ में है।

सक्षम अधिकारी द्वारा अनुमोदित दिशानिर्देश अनुपालन हेतु संलग्न है।

सभी क्षेत्रीय/शाखा कार्यालयों से अनुरोध है की दिशानिर्देशों का तत्काल प्रभाव से अनुपालन सुनिश्चित करें।

**शिवम आहूजा
वैज्ञानिक सी**

प्रमुख (केमूवी 2)

सभी क्षेत्रीय/शाखा कार्यालय/प्रयोगशालाएँ/MTD/LRMD

CENTRAL MARKS DEPARTMENT-2

Our Ref: CMD-2/16:1729

29 11 2022

Subject: Guidelines for implementation of Amendment No.08 to IS 1729:2002

This has reference to the subject mentioned above.

The Competent Authority has approved the enclosed Guidelines for implementation.

All ROs/BOs are requested to ensure the implementation of the above Guidelines with immediate effect.

**(Shivam Ahuja)
Scientist C**

Head (CMD-2)

All ROs/BOs/Labs/MTD/LRMD

CENTRAL MARKS DEPARTMENT-2

OurRef:CMD-2/16:1729

Date: 29.11.2022

Subject: Guidelines for implementation of Amendment no. 8 to IS 1729 – (Cast Iron/ Ductile Iron Drainage Pipes and Pipe Fittings for Over Ground Non-Pressure Pipeline Socket and Spigot Series)

1. Amendment no. 8 to IS 1729 has been published. The amendment shall be implemented with effect from **23rd Dec 2022**.
2. IS 1729:2002 is under voluntary certification with 6 licences in operation domestically.
2. The significant changes in the standard through this amendment as listed in the Table are given below.

IS No.	Clause	Change
IS 1729:2002	Table 1, col 1, against External Dia (Max), B pipe , also see Amendment No.7	“Max” has been substituted instead of Min
	Table 1, col 2, against Tolerance on C, also see Amendment No.7	“-2” has been substituted instead of “2”
	Table 1, col 2, 3,4 and 5 , against Thickness , H, also see Amendment No.7	“6.5” has been substituted instead of “65”
	Table 1, col 4, against External Dia (Max), B pipe, see also Amendment No.1	“114” has been substituted in place of “144”

4. No change in the existing Product Manual is required on account of this amendment.

5. Since only a few specified values of Dimensions of Pipe have been modified through the amendment, all BOs shall inform the Applicants and Licensees under their jurisdiction about implementation of the above amendment within a week of issuance of these guidelines.

Shivam Ahuja

Sc.C.(CMD-2)

Head (CMD-2)

DDG (Certification)

ROs/BOs