

## केन्द्रीय मुहर विभाग -2

कें.मु.वि-2/16: 1919

दिनांक 25/04/2025

**विषय: संशोधित आई एस IS 1919: 2024 के अनुपालन के दिशानिर्देश**

- 1) यह उपरोक्त विषय के संदर्भ में है।
- 2) सक्षम अधिकारी द्वारा अनुमोदित दिशानिर्देश अनुपालन हेतु संलग्न है।
- 3) सभी क्षेत्रीय/शाखा कार्यालयों से अनुरोध है की दिशानिर्देशों का तत्काल प्रभाव से अनुपालन सुनिश्चित करें।

(अमित चौधरी)  
वैज्ञानिक ई

प्रमुख (केमूवी 2)

सभी क्षेत्रीय/शाखा कार्यालय/प्रयोगशालाएँ/CHD/LRMD

## CENTRAL MARKS DEPARTMENT-2

Our Ref: CMD-2/16: 1919

25/04/2025

**Subject: Guidelines for Implementation of revised IS 1919: 2024 (Sodium Hydro Sulphite - Specification**

1. This has reference to the subject mentioned above.
2. The Competent Authority has approved the enclosed Guidelines for implementation.
3. All BOs are requested to inform the Applicants and Licensees under their jurisdiction about implementation of the revised Standard.

(Amit Choudhary)  
Scientist-E

Head(CMD-2)

All ROs/BOs/ CHD/LRMD

## **CENTRAL MARKS DEPARTMENT-2**

Our Ref: CMD-2/16: 1919

25/04/2025

**Subject: Guidelines for implementation of revised IS 1919: 2024, SODIUM HYDRO SULPHITE — SPECIFICATION**

1. IS 1919: 1982, SODIUM HYDRO SULPHITE — Specification, has been revised to IS 1919 :2024.
2. IS 1919: 1982, SODIUM HYDRO SULPHITE, and IS 1919: 2024 are under concurrent running till 29 May 2025 and the last date for implementation of revised IS 1919: 2024 is 29 May 2025.
3. The product is under voluntary certification. There are currently 01 Licence in India for IS 1919: 2024 under SUBO. There is no application pending for GOL in India against the IS.
4. The major changes in IS 1919: 2024 due to the revision in comparison to IS 1919: 1982 are given below for general guidance:

### **Major Changes in IS 1919: 1982 in comparison to revised IS 1919: 2024**

<b>Sl No</b>	<b>Change</b>
Cl 4.2	In the revision, instrumental test method as an alternate method for determination of Heavy Metals (as lead) has been added. Also, the requirement of bulk density has been modified from the range '0.9 to 1.3' to '0.9 to 1.6' Kg/l.

5. Revised IS shall be implemented by all Licensees/applicants by 29 May 2025. Applications which are recorded henceforth may be processed as per the IS 1919: 1982 / IS 1919: 2024. Processing of Applications as per the old Standard, shall be permitted only upto 29 May 2025.
6. In the revision to the IS, alternate instrumental test method for the test of heavy metals (as lead) has been added. Also the requirement of Bulk density has been relaxed.
7. Since there is no major technical change, rather the requirement of Bulk density has been relaxed in the revised IS, no evidence of conformity for the revised IS is required to be submitted and no change in the scope is ensued consequent to the implementation of the revised IS.
8. The existing Product manual has been revised to incorporate the changes due to the revised IS and it is being circulated separately, through BIS website, as Product Manual Doc: PM/IS 1919 /1 April 2025.
9. BOs are requested to circulate this guideline to licensees and applicants for information.
10. The above guidelines come into force with immediate effect.

**(Amit Choudhary)**  
**Scientist E**

**Head (CMD-2)**  
**DDG(Certification)**

**Circulated to:**

**All RO/BOs**

**All other concerned - through BIS intranet**