

केन्द्रीय मुहर विभाग -2

संदर्भ -: के मू वी-2/16:14929

16 10 2023

विषय: IS 14929:2022 के amendment no. 1 के अनुपालन के दिशा निर्देश

यह उपरोक्त विषय के संदर्भ में है।

सक्षम अधिकारी द्वारा अनुमोदित दिशा निर्देश अनुपालन हेतु संलग्न है।

अनोरोध है की दिशा निर्देशों का तत्काल प्रभाव से अनुपालन सुनिश्चित करें।

**आदित्य दास
वैज्ञानिक D**

प्रमुख (के मू वी 2)

सभी क्षेत्रीय/शाखा कार्यालय/प्रयोगशालाएँ/ TXD/LRMD

CENTRAL MARKS DEPARTMENT-2

Our Ref: CMD-2/16:14929

16 10 2023

Subject: Guidelines for implementation of amendment no. 1 to IS 14929:2022

This has reference to the subject mentioned above.

The Competent Authority has approved the enclosed Guidelines for implementation.

It is requested to ensure the implementation of the above Guidelines with immediate effect.

(Aditya Das)
Scientist D

Head (CMD-2)

DDG (Certification)

All ROs/BOs/Labs/TXD/LRMD

CENTRAL MARKS DEPARTMENT-2

Our Ref: CMD-2/16:14929

Date: 16 10 2023

Subject: Guidelines for implementation of Amendment no. 1 to IS 14929:2022 (Mixed Polyolefin Fibre Ropes)

1. Amendment no. 1 to IS 14929:2022 has been published.
2. The significant changes in the standard through this amendment as listed in the Table are given for the purpose of general guidance.

Clause No.	Change
Table 1	Under Type A ropes, one more size (reference number) 4 has been added

3. Since there is no change to the varieties covered in the existing standard due to this amendment, it does not require any evidence of conformity to the amended standard to be established.
4. In view of the above, BOs are requested to circulate this amendment to licensees and applicants immediately within 7 days of issue of this circular.
5. The above guidelines come into force with immediate effect.

Aditya Das
Sc. D

Head (CMD-2)
DDG (Certification)

AMENDMENT NO. 1 JULY 2023
TO
IS 14929 : 2022/ISO 10572 : 2009 MIXED POLYOLEFIN FIBRE ROPES
(First Revision)

(Page 3, Table 1) — Add the following:

Reference number ^a	Linear density ^{bc}		Minimum breaking force ^{dc}	
	Nominal ktex	Tolerance %	Unspliced ropes	Ropes with eye-spliced terminations
4	7.4	± 10	3.0	2.7