

केन्द्रीय मुहर विभाग- III

हमारा संदर्भ- सीएमडी -III/16: IS 13779

30 दिसंबर 2022

विषय- पुनरीक्षित आई एस 13779 : 2020 के कार्यान्वयन की तिथि का विस्तार।

इसे उपरोक्त विषय का संदर्भ है।

सक्षम प्राधिकारी ने संशोधित आईएस 13779 : 2020 के कार्यान्वयन की तिथि दिनांक **13/09/2023** तक के विस्तार के लिए सहमती प्रदान की है।

सभी संबंधित शाखा कार्यालयों से अनुरोध है कि वे लाइसेंसधारी / आवेदक को इस दिशानिर्देशों के परिसंचरण को सुनिश्चित करें और नियत तारीख से पहले संशोधित आईएस 13779 : 2020 का कार्यान्वयन सुनिश्चित करें।

(पीयूष प्रकाश)
वैज्ञानिक-सी (सी एम डी-III)

प्रमुख (सी एम डी-III)

सभी क्षेत्रीय/शाखा कार्यालय

CENTRAL MARKS DEPARTMENT-III

Our Ref: CMD-III/16: IS 13779

30 December 2022

Subject: Extension of date of implementation of revised IS 13779 : 2020 'ac STATIC WATTHOUR METERS CLASS 1 AND 2-Specefication (Second Revision)'

This has reference to the subject mentioned above.

The Competent Authority has agreed for extension of date of implementation of revised IS 13779 : 2020 upto 13 September 2023.

All BOs are requested to circulate the guidelines to all the licensees/applicants and ensure the implementation of revised IS 13779:2020 before the due date.

(Peeyush Prakash)
Sc-C (CMD- III)

Head (CMD-III)

Circulated to all ROs/BOs

CENTRAL MARKS DEPARTMENT-III

Our Ref: CMD-III/16: IS 13779

30 December 2022

Subject: Extension of date of implementation of revised IS 13779 : 2020 'ac STATIC WATTHOUR METERS CLASS 1 AND 2-Specefication (Second Revision)'

1. This has reference to the guidelines for implementation of revised IS 13779 : 2020 'ac STATIC WATTHOUR METERS CLASS 1 AND 2-Specefication (Second Revision)' circulated vide CMD-III circular ref: CMD-III/16 : IS 13779 dated 23 03 2021 with last date for implementation as 13 December 2021.
2. The last date of implementation of IS 13779 : 2020 was further extended to 13 December 2022 and the same was circulated vide CMD-III circular ref: CMD-III/16 : IS 13779 dated 05 01 2022.
3. Considering the requests received from BOs and the present status of implementation of IS 13779 : 2020 by the licensees, it has now been decided to extend the date of implementation of revised IS 13779 : 2020 by nine months till **13 September 2023**. Other terms and conditions of CMD-III circular ref: CMD-III/16:13779 dated 23 03 2021 remains the same.
4. All concerned BOs are requested to inform the revised date of implementation to all Licensees/Applicants immediately and ensure implementation of revised IS 13779 : 2020 by **13 September 2023**.

(Peeyush Prakash)
Sc-C (CMD-III)

Head (CMD-III)
DDG (Certification)

Circulated to all BOs