

**भारतीय मानक ब्यूरो
(केंद्रीय मुहर विभाग III)**

हमारा संदर्भ : सी एम डी - III/16 : IS 3614

05 दिसंबर 2023

विषय : आईएस 3614:2021 संशोधन संख्या 1 के अनुपालन हेतु गाइडलाइन

इसमें ऊपर उल्लिखित विषय का संदर्भ है ।

सभी शाखा कार्यालय से आग्रह है कि गाइडलाइन का अनुपालन तत्काल प्रभाव से सुनिश्चित करें।

(ऐ के कअंर)
वैज्ञानिक-सी (सी एम् डी-III)

प्रमुख (सी एम डी- III)

सभी क्षेत्रीय /शाखा कार्यालय

**BUREAU OF INDIAN STANDARDS
(Central Marks Department-III)**

Our Ref: CMD-III/16 : IS 3614

05 Dec 2023

Subject: Guidelines for implementation of Amendment No. 1 to IS 3614:2021 – Fire Doors and Doorsets

This has reference to the subject mentioned above.

BOs may kindly ensure implementation of the guidelines with immediate effect.

(A K Kanar)
Sc-C (CMD-III)

Head (CMD-III)

Circulated to: All ROs/BOs

CENTRAL MARKS DEPARTMENT III

Our Ref: CMD-III/16 : IS 3614

05 Dec 2023

Subject: Guidelines for implementation of Amendment No. 1 to IS 3614:2021 – Fire Doors and Doorsets

1. Amendment No. 1 to IS 3614:2021 has been published. The last date for implementation of the amendment was **02 Jan 2024**.
2. The change brought out in the Standard through the amendment is listed in the Table:

Clause	Requirement
4.1	Test method Standard for fire resistance test has been modified from IS/ISO 3008-1 to IS 17518 (Part 1)
5.2 & 5.3 Table 1	Classification of fire doors as well as designations have been modified
7.2.9	The fire rating and labelling criteria of hardwares in Clause 7.2.9 para- line 1 & line 11, Clause 7.2.9 para 5-line 11 have been modified from 'shall' to 'should'
7.3.2	Sizes of hinged wooden composite fire door have been widened.

3. Consequent upon the issuance of the amendment, existing Product Manual has been revised as Product Manual, Doc: PM/IS 3614/2/Nov 2023 to incorporate the modified fire door classification system in the scope of licence and grouping guidelines.
4. The amendment does not require any action by the applicants/ licensees towards its implementation.
5. As the fire door classification (rating and insulation) has been modified, accordingly the scope of existing licensees may be reviewed and endorsements may be issued; after obtaining fresh drawing of the Fire Doors and Doorsets as per the modified door classification system in accordance with the grouping guidelines, from the manufacturer.
6. All BOs shall inform the Applicants and Licensees under their jurisdiction about the above amendment immediately.
7. The above guidelines come into force with immediate effect.

Ashish K Kanar
Sc-D/Jt.Dir, CMD-III

Head (CMD III)
DDG (Certification)