

केन्द्रीय मुहर विभाग- III

हमारा संदर्भ- के. मु. वि. -III/16: IS 1293

31 मई 2023

विषय- आई एस 1293 के समवर्ती संचालन की अंतिम तिथि और भारतीय मानक के दायरे में किस्मों की कवरेज के संबंध में।

इसे उपरोक्त विषय का संदर्भ है।

सभी संबंधित शाखा कार्यालय कृपया आई एस 1293 के समवर्ती संचालन की अंतिम तिथि और भारतीय मानक के दायरे के तहत किस्मों के कवरेज के बारे में संलग्न परिपत्र प्राप्त करें।

सभी संबंधित शाखा कार्यालयों से अनुरोध है कि वे अपने अधिकार क्षेत्र के तहत लाइसेंसधारियों/ आवेदकों को उपरोक्त परिपत्र के बारे में तुरंत अवगत कराएं और 23 अक्टूबर 2023 तक आईएस 1293: 2019 का कार्यान्वयन सुनिश्चित करें।

(पीयूष प्रकाश)
वैज्ञानिक- डी (सी एम डी-III)

प्रमुख (सी एम डी-III)

सभी क्षेत्रीय/शाखा कार्यालय

CENTRAL MARKS DEPARTMENT-III

Our Ref: CMD-III/ 16: IS 1293

31 May 2023

Subject: Regarding last date of concurrent running of IS 1293 and coverage of varieties in the scope of the Indian Standard

This has reference to the subject mentioned above.

The BOs may kindly find attached circular regarding last date of concurrent running of IS 1293 and coverage of varieties under the scope of the Indian Standard.

All concerned Branch Offices are requested to inform the same to the Licencees / Applicants under your jurisdiction immediately and ensure the implementation of IS 1293: 2019 by 23 October 2023.

Peeyush Prakash
Sc. D (CMD III)

Head (CMD - III)

Circulated to: All ROs/BOs

CENTRAL MARKS DEPARTMENT-III

Our Ref: CMD-III/ 16 : IS 1293

31 May 2023

Subject: Regarding last date of concurrent running of IS 1293 and coverage of varieties in the scope of the Indian Standard

1. This has reference to the subject mentioned above.
2. IS 1293: 2005 was revised and published as IS 1293: 2019 'Plugs and Socket-outlets for Household and Similar Purposes of Rated Voltage up to and Including 250 V and Rated Current up to and Including 16 A' on 26th July 2019.
3. The guidelines for implementation of the revised IS 1293 : 2019 has been circulated vide circular CMD-III/16: IS 1293 dated 19 Aug 2019.
4. Initially, the last date of concurrent running was 25th July 2020. The following extensions have been made in the last date of concurrent running since then:

Sl. No.	Existing date of concurrent running	Date of CMD-III circular	Revised date of concurrent running
1.	25 th July 2020	29 th September 2020	23 rd October 2021
2.	23 rd October 2021	22 nd October 2021	23 rd October 2022
3.	23 rd October 2022	23 rd November 2022	23 rd October 2023

5. It has now been decided that beyond 23rd October 2023, no further extension shall be given in the date of concurrent running of IS 1293.
6. The 'Information to Industry regarding implementation of IS 1293' Version III dated 22.11.2022 has been updated based on inputs from ETD and hosted on BIS website as Version IV dated 29.05.2023 for reference to all.
7. Further, the varieties which are covered under the scope of IS 1293 : 2005 but not covered under the scope of IS 1293 : 2019 can only be manufactured upto 23rd October 2023.
8. All the licencees are hereby informed to take necessary action to ensure implementation of revised IS 1293 : 2019 within time norms and to ensure that beyond 23rd October 2023, the varieties which are not covered in IS 1293 : 2019 should not be available with the licencees and/ or with their distributors/ dealers.
9. All BOs may bring it to the notice of all Licensees and Applicants and ensure implementation of the revised IS 1293 : 2019 by 23 October 2023.

Peeyush Prakash
Sc D (CMD-III)

Head (CMD-III)

Circulated to: All ROs/BOs