

केन्द्रीय मुहर विभाग-2

संदर्भ -: केमूवी-2/16:12950

09 11 2023

विषय: संशोधित IS 12950:2023 के अनुपालन के दिशा निर्देश

यह उपरोक्त विषय के संदर्भ में है।

सक्षम अधिकारी द्वारा अनुमोदित दिशानिर्देश अनुपालन हेतु संलग्न है।

सभी क्षेत्रीय/शाखा कार्यालयों से अनुरोध है की दिशानिर्देशों का तत्काल प्रभाव से अनुपालन सुनिश्चित करें।

**आदित्य दास
वैज्ञानिक D**

प्रमुख (केमूवी 2)

प्रमुख (PRBP)

CC:

सभी क्षेत्रीय/शाखाकार्यालय/प्रयोगशालाएँ/CHD/LRMD

CENTRAL MARKS DEPARTMENT-2

Our Ref: CMD-2/16:12950

09 11 2023

Subject: Guidelines for implementation of Revised IS 12950:2023

This has reference to the subject mentioned above.

The Competent Authority has approved the enclosed Guidelines for implementation.

All ROs/BOs are requested to ensure the implementation of the above Guidelines with immediate effect.

**(Aditya Das)
Scientist D**

Head (CMD-2)

Head (PRBO)

CC:All ROs/BOs/Labs/CHD/LRMD

CENTRAL MARKS DEPARTMENT-2

Our Ref: CMD-2/16: 12950

09 11 2023

Subject: Guidelines for implementation of Revised IS 12950:2023 (Battery Hydrometers- Portable Syringe Type for Lead-Acid Batteries)

1. IS 12950:1990 has been revised as IS 12950:2023 and has been published. The last date for implementation of the revised Standard is **13 Dec 2023** after which the old Standard shall stand withdrawn.
2. The significant changes in the revised Standard as listed in the Table are given.

Clause	Change
2	Referred standards have been updated
Cl 4.6.8.4	The sentence "Figures shall be marked on the scale at every long graduation line" has been deleted.
5.2.2	BIS Certification Marking clause has been incorporated

3. Consequent upon the issuance of the revised Standard, the existing product manual has been revised which is being circulated separately.
4. Since there is no substantive change due to this revision, no evidence of conformity to the revised standard needs to be submitted to BIS by licensees/applicants.
5. Currently since there is only one licence under PRBO, the licensee shall be apprised of the revision immediately and their confirmation sought for implementation of revised standard. Upon receipt of positive confirmation from the licensee, BO shall permit changeover.
6. Currently there are no applications. However, in case any applications are received subsequently as per the old standard, such applications may be processed as per old only up to 12 Dec 2023. However, applicants shall be informed of the revision and encouraged to apply as per revised standard. Applicants as per old standard shall give a declaration that they will implement the revised Standard by 13th December 2023.
7. Beyond **13 Dec 2023** no Licence shall be granted or remain operative as per the old Standard.
8. The above guidelines come into force with immediate effect.

Aditya Das
Sc. D

Head (CMD-2)
DDG (Certification)