

केन्द्रीय मुहर विभाग-2

संदर्भ :- केमूवी-2/16: 13785

14 07 2026

विषय: संशोधित IS 13785 : 2026 के अनुपालन के दिशानिर्देश।

यह उपरोक्त विषय के संदर्भ में है।

सक्षम अधिकारी द्वारा अनुमोदित दिशानिर्देश अनुपालन हेतु संलग्न है।

सभी क्षेत्रीय/शाखा कार्यालयों से अनुरोध है की दिशानिर्देशों का तत्काल प्रभाव से अनुपालन सुनिश्चित करें।

**हरीश मीना
वैज्ञानिक-सी**

प्रमुख (केमूवी 2)

सभी क्षेत्रीय/शाखाकार्यालय/प्रयोगशालाएँ/FAD/LRMD

CENTRAL MARKS DEPARTMENT-2

Our Ref: CMD-2/16: 13785

14 07 2026

Subject: Guidelines for implementation of Revised IS 13785:2026.

This has reference to the subject mentioned above.

The Competent Authority has approved the enclosed Guidelines for implementation.

All ROs/BOs are requested to ensure the implementation of the above Guidelines with immediate effect.

**(Harish Meena)
Scientist-C**

Head (CMD-2)

All ROs/BOs/Labs/FAD/LRMD

CENTRAL MARKS DEPARTMENT-2

Our Ref: CMD-2/16: 13785

14 07 2026

Subject: Guidelines for implementation of Revised IS 13785: 2026 (Dodine Wettable Powder (WP)- Specification).

1. IS 13785 : 1993 has been revised as IS 13785 : 2026 and has been published. The last date for implementation of the revised Standard is **06th September 2026** after which the old Standard shall stand withdrawn.
2. All BOs shall inform the Applicants and Licensees under their jurisdiction about implementation of the revised Standard within a week of issuance of these guidelines.
3. The significant changes in the revised Standard as listed in the Table are given for the purpose of general guidance. BOs shall ensure that the product conforms to all the requirements, as applicable, as per the revised Standard.

Clause	Change
---	The standard has been brought out in the latest style and format of the Indian Standards, and references to Indian Standards (wherever applicable) have been updated.
Clause 3.3 and Table 1	In the older version of ISS, test parameter "Acidity (as H ₂ SO ₄) Or Alkalinity (as NaOH)" was replaced with "pH of 1% solution at ambient temperature" through amendment no. 1. However, the change has been reverted to original in this revision of ISS.

4. Consequent upon the issuance of the revised Standard, the existing product manual has been revised which is being circulated separately.
5. The guidelines for implementation of the revised Standard is given below:

A. LICENSEES:

- i. The licensee shall implement the revised Standard by **06th September 2026**. Any difficulty in implementation shall be brought to the notice of CMD 2 at the earliest. BOs shall ensure that no Licences are under operation as per the old Standard after **06th September 2026**. **The status of implementation of the revised Standard shall be confirmed by Head (BO) to CMD-2 within two weeks of the last date of concurrent running.**
- ii. Licensees shall submit evidence of conformity to the modified requirements through In-house/Independent Test Reports as well as revised list of test equipment (as per Form 2)/testing arrangement. Verification of implementation of the revised Standard, wherever required, **shall be verified through a surveillance visit within 30 days of confirmation of implementation of the revised standard by licensee.**
- iii. If the Licensee fails to complete all actions by **06th September 2026** it shall be dealt with as per the prevailing guidelines.

B. APPLICATIONS FOR GRANT OF LICENCE:

- i. Existing Applications where Sample has been submitted in the Laboratory/Test Report has been issued by the Laboratory may be processed as per the old Standard. However, if the Applicant is desirous of considering the Application as per the revised Standard, a declaration may be obtained from the Applicant to that effect and the Application may be processed accordingly. An undertaking from such Applicants shall also be obtained that if the sample fails while considering the provisions of the revised Standard, Licence will not be granted by BIS as per the old version.
- ii. Applications which are recorded henceforth may be processed as per the old Standard or the revised Standard. Processing of Applications as per the old Standard shall be permitted only up to **05th September 2026** and for such cases Applicant shall give a declaration that they will implement the revised Standard by **06th September 2026**.
- iii. Beyond **06th September 2026** no Licence shall be granted as per the old Standard.

C. CHANGE IN SCOPE OF LICENCE:

- i. For change in scope of licence, the relevant provisions as given above for Applicants shall apply.
 - ii. However, processing of such applications for change in scope of licence as per the old Standard shall be permitted only upto the date of implementation of the revised Standard or up to **06th September 2026** whichever is earlier.
6. The above guidelines come into force with immediate effect.

Harish Meena
Scientist-C

Head (CMD-2)
DDG (Certification)