

**केन्द्रीय मुहर विभाग-2**

संदर्भ -: केमूवी-2/16: 1165

23 03 2026

**विषय: IS 1165 : 2022 के amendment no. 1 के अनुपालन के दिशानिर्देश।**

यह उपरोक्त विषय के संदर्भ में है।

सक्षम अधिकारी द्वारा अनुमोदित दिशानिर्देश अनुपालन हेतु संलग्न है।

सभी क्षेत्रीय/शाखा कार्यालयों से अनुरोध है की दिशानिर्देशों का तत्काल प्रभाव से अनुपालन सुनिश्चित करें।

**हरीश मीना  
वैज्ञानिक-सी**

**प्रमुख (केमूवी 2)**

**सभी क्षेत्रीय/शाखाकार्यालय/प्रयोगशालाएँ/FAD/LRMD**

**CENTRAL MARKS DEPARTMENT-2**

Our Ref: CMD-2/16:1165

23 03 2026

**Subject: Guidelines for implementation of amendment no. 1 to IS 1165:2022**

This has reference to the subject mentioned above.

The Competent Authority has approved the enclosed Guidelines for implementation.

All ROs/BOs are requested to ensure the implementation of the above Guidelines with immediate effect.

**Harish Meena  
Scientist-C**

**Head (CMD-2)**

**All ROs/BOs/Labs/FAD/LRMD**

## CENTRAL MARKS DEPARTMENT-2

Our Ref: CMD-2/16: 1165

23 03 2026

### **Subject: Guidelines for implementation of amendment no. 1 to IS 1165:2022 (Whole Milk Powder— Specification)**

1. Amendment no. 1 to IS 1165:2022 has been published. The last date of implementation of the amendment is **14<sup>th</sup> June 2026**.
2. The significant changes in the standard through this amendment as listed in the Table are given for the purpose of general guidance.

<b>Clause No.</b>	<b>Change</b>
3.5 & Table 1	An additional test method has been introduced for the "Moisture" testing.
-do-	"IS 11721" has been substituted with "IS 19396" under method of Test column of "Milk Fat" test parameter.
-do-	The below note has been added under Table 1:  "5) Before being used, the instrument should be calibrated with adequate data of similar milk products and validated against reference standard method as per the procedure prescribed ISO 21543."
3.5 & Table 2	"IS 5403" has been substituted with "IS 16069 (Part 2)" under method of Test column of "Yeast and Mould Count" test parameter.
-do-	i) "c" has been substituted with "x" under Requirement Column of "Sulphite reducing clostridia" test parameter. ii) "ISO 15213" has been substituted with "IS 18349 (Part 1)" under method of Test column of "Sulphite reducing clostridia" test parameter.
-do-	"IS 5887 (Part 1)" has been substituted with "IS 16424" under method of Test column of "E. Coli" test parameter.
-do-	Note 2 has been replaced with the following:  "2) In case of dispute, the method indicated by '*' shall be the referee method."
3.7 & Table 3	"ISO 14501 or ISO 14674 or any other international validated method" has been substituted with "IS 18108 or IS 18110*" under method of Test column of "Aflatoxin M1" test parameter.
-do-	Notes under Table 3 have been modified.
5	Marking requirements have been modified.

3. Consequent upon the issuance of the amendment, the existing product manual has been revised which is being circulated separately.
4. The guidelines for implementation of the amendment are given below:

#### **A. LICENSEES:**

- i) All Licensees shall implement the amendment by **14<sup>th</sup> June 2026**. Any difficulty in implementation shall be brought to the notice of CMD 2 at the earliest but in any case at least 30 days before the last date of implementation. BOs shall ensure that no Licences are under operation as per IS 1165:2022 without considering the amendment No.1 after **14<sup>th</sup> June 2026**. The status of implementation of the amendment shall be

confirmed by Head (BO) to CMD-2 within two weeks of the last date of concurrent running.

- ii) Licensees shall submit evidence of conformity to the Amended requirements through In-house/Independent Test Reports as well as revised declaration of test equipment as per Form 2. Verification of implementation of the amendment, wherever required, shall be done through a surveillance visit within 30 days of confirmation of implementation of the amendment to standard by licensee.
- iii) If the Licensee fails to complete all actions by **14<sup>th</sup> June 2026** it shall be dealt with as per the prevailing guidelines.

#### **B. APPLICATIONS FOR GRANT OF LICENCE:**

- i. Existing Applications where Sample has been submitted in the Laboratory/Test Report has been issued by the Laboratory may be processed without considering the amendment no. 1. However, if the Applicant is desirous of considering the Application as per the amended Standard, a declaration may be obtained from the Applicant to that effect and the Application may be processed accordingly. An undertaking from such Applicants shall also be obtained that if the sample fails while considering the provisions of the amended Standard, Licence will not be granted by BIS without considering the amendment no. 1.
- ii. Applications which are recorded henceforth may be processed with or without considering the amendment no. 1. Processing of Applications without considering the amendment No. 1 shall be permitted only up to **13<sup>th</sup> June 2026** and for such cases Applicant shall give a declaration that they will implement the amended Standard by **14<sup>th</sup> June 2026**.
- iii. Beyond **14<sup>th</sup> June 2026** no Licence shall be granted without considering the amendment no. 1.

#### **C. CHANGE IN SCOPE OF LICENCE:**

- i. For change in scope of licence, the relevant provisions as given above for Applicants shall apply.
- ii. However, processing of such applications for change in scope of licence without considering the Amendment No. 1 shall be permitted only up to the date of implementation of the amendment by the licensee or up to **14<sup>th</sup> June 2026**, whichever is earlier.

6. The above guidelines come into force with immediate effect.

**Harish Meena**  
**Scientist-C**

**Head (CMD-2)**  
**DDG (Certification)**